

BODY LINE
Inspiring Fitness

CALIFORNIA
FITNESS



PRODUCT CATALOGUE 2025

JF5000i

COMMERCIAL TREADMILL

SPECIFICATIONS

- 21.5" HD TFT Screen with different landscape programs.
- Supports Wi-Fi connection & web browsing.
- AC driving system with adjustable variable frequency
- 5.0 HP AC continuous (10.0 HP Peak) motor
- 22"x63" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~18%
- Comes with 36 preset programs
- Reinforced 2 layer high flexibility running deck
- Heavy duty 2.5mm thick reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF5000

COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 5.0 HP AC continuous (10.0 HP Peak) motor
- 22"x63" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty 2.5mm thick reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF3000

COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 21"x63.5" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF2300

COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x61" running surface
- Speed : 0.8~20 km/h
- Precise incline control from 0~18%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Speakers with MP3 and USB connector
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF2000 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP motor Peak)
- 21" x 60" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~15%
- Large LED display with dot matrix showing time, speed, distance, incline, calories, & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Comes with durable and reliable aluminum side rails & vertical tube
- 1" thick fibre board
- Heavy duty reliable orthopaedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile phone, MP3 and iPod
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 150Kgs



JF1800 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x61.5" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Multiple window LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- Anti static 25mm double faced running board
- 2.5mm heavy duty orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF900

COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x60" running surface
- Speed : 1~22 km/h
- Precise incline control from 0~20%
- Multiple window LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- 1" thick fiber board running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- MP3 and USB connector
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 150 Kgs





JF53

MOTORIZED TREADMILL

SPECIFICATIONS

- For High End Home Or Light Commercial Usage
- Motor Power : 6HP AC Peak (3HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 23" X 57.5"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Speed & Incline Control Buttons On Hand Rail
- Maximum User Weight : 150 Kg



JF52

MOTORIZED TREADMILL

SPECIFICATIONS

- For High End Home Or Light Commercial Usage
- Motor Power : 5HP AC Peak (2.5HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~18 Km/h
- Incline : 0-15%
- Running Surface : 20.5" X 55.5"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 140 Kg



JF49

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 5.0HP AC Peak (2.5HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 1~18 Km/h
- Incline : 0-15%
- Running Surface : 18.5" X 52"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 130 Kg



JF48

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4.5HP AC Peak (2.25HP Continuous)
- Display Type : Blue 5.5" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 19" X 53"
- With Mp3 & Usb
- Special Spring Deck Cushion System
- Maximum User Weight : 140 Kg



JF47

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4.0HP AC Peak (2.0HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 1~16 Km/h
- Incline : 0-15%
- Running Surface : 18" X 52"
- With Mp3 function with speaker
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg



JF46

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4.0HP AC Peak (2.0HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 1~16 Km/h
- Incline : 3 levels manual
- Running Surface : 18" X 52"
- With Mp3 function with speaker
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg



JF50

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 6HP DC Peak (3HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 23" X 58"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 150 Kg



JF45

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 5HP DC Peak (2.5HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 1~16 Km/h
- Incline : 0-15%
- Running Surface : 18.5" X 52"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 130 Kg



JF42

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4.5HP DC Peak (2.25HP Continuous)
- Display Type : Blue 5.5" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 19" X 53"
- With Mp3 & Usb
- With Speed & Incline Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 140 Kg



JF41

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 7hp Dc Peak (3.5hp Continuous)
- Display Type : Blue 7" Lcd Screen
- Speed : 1~20 Km/h
- Incline : 0-22 Level
- Running Surface : 22" X 54"
- Speakers With Bluetooth Connectivity
- Duo Flexi Deck Cushion System
- Maximum User Weight : 150 Kg



JF40

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 6hp Dc Peak (3hp Continuous)
- Display Type : Blue 7" Lcd Screen
- Speed : 1~18 Km/h
- Incline : 0-15 Level
- Running Surface : 19" X 54"
- With MP3 & USB
- Speakers With Bluetooth Connectivity
- Special Spring Deck Cushion System
- Maximum User Weight : 140 Kg



JF39

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4HP DC Peak (2HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~16 Km/h
- Incline : 0-15%
- Running Surface : 18" X 50"
- With Mp3 & Usb
- With Speed & Incline Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 115 Kg



JF36

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4.0HP DC Peak (2.0HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~16 Km/h
- Incline : 3 Level Manual
- Running Surface : 18" X 50"
- With MP3 & USB
- With Start / Stop & Speed Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 120 Kg



JF38

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4HP DC Peak (2HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~16 Km/h
- Incline : 3 Level Manual
- Running Surface : 18" X 50"
- With Mp3 & Usb
- With Start / Stop & Speed Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 115 Kg

JF35

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 5HP Dc Peak (2.5hp Continuous)
- Display Type : Blue 5" Lcd Screen
- Speed : 1~16 Km/h
- Incline : 0-18 Level
- Running Surface : 20" X 52"
- With MP3 & USB
- With Speed & Incline Control Buttons on Hand Rail
- Special Honeycomb Cushion System
- Maximum User Weight : 120 Kg



JF34

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 3.5HP DC Peak (1.75HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~14.8 Km/h
- Incline : 0-15%
- Running Surface : 17" X 48"
- With MP3 & USB
- With Speed & Incline Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg



JF33

MOTORIZED TREADMILL

SPECIFICATIONS



- Motor Power : 3.5hp Dc Peak (1.75hp Continuous)
- Display Type : Blue 5" Lcd Screen
- Speed : 0.8~14.8 Km/h
- Incline : 3 Level Manual
- Running Surface : 17" X 48"
- With Mp3 & Usb
- With Start / Stop & Speed Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg

JF24

MOTORIZED TREADMILL

SPECIFICATIONS



- Motor Power : 3.5hp Dc Peak (1.75 Hp Continuous)
- Display Type : Led Screen
- Speed : 1~14 Km/h
- Incline : 2 Level Manual
- Running Surface : 18" X 48"
- With Mp3 & Usb
- Speakers With Bluetooth Connectivity
- Maximum User Weight : 100 Kg

JF23

MOTORIZED TREADMILL

SPECIFICATIONS



- Motor Power : 2HP DC Peak (1HP Continuous)
- Display Type : LED Screen
- Speed : 1~10 Km/h
- Incline : 3 Level Manual
- Running Surface : 16" X 44"
- With MP3 & USB
- Maximum User Weight : 90 Kg



E500

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 20" long stride
- Red backlight LED display
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level
- Multiple programs including 1 Manual, 4 HRC, 1 Watt,
- 20 preset, 4 Users and 3 Fitness test
- 3 pcs crank system with 14kgs flywheels
- USB port with MP3 reader
- Handheld pulse sensor
- Magnetic flywheel.
- With self generating system
- Resistance level - 24
- Transport wheels
- Adjustable floor levelers
- Maximum User Weight: 150kgs



E300

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- Rear-drive and dual handle arms enable smooth and engaging exercise, regardless of your fitness level.
- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Self- powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Striding distance : 500 mm (20").
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



E400

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 20" long stride
- 3 section manual incline
- Blue backlight LCD display
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level
- Multiple programs including 1 Manual, 4 HRC, 1 Watt,
- 11 preset, 4 Users and 3 Fitness test
- Handheld pulse sensor
- Magnetic flywheel
- With adapter power system
- Resistance level - 24
- Transport wheels
- Adjustable floor levelers
- Maximum User Weight: 130kgs



16

JF140

LIGHT COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 10 kgs / 2 ways Magnetic fly wheel system
- 20" long stride length
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size: 1700*600*1860MM
- Max. User Weight 125 Kgs



19

JFE31 MAGNETIC CROSS TRAINER

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual Tension control System
- Large LCD display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size: 1290*620*1550MM
- Max. User Weight 110 Kgs



JFE30 MAGNETIC CROSS TRAINER

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual Tension control System
- Large LCD display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size: 1070*600*1540MM
- Max. User Weight 110 Kgs



JF110 DOUBLE BURNER

SPECIFICATIONS

- Orbitrek with seat
- Can be used as a cycle or cross-trainer
- Computer display for time, speed, distance & calories
- Micro adjustable tension control
- Adjustable handle bars for varying heights



JF115 FASHION DOUBLE BURNER

SPECIFICATIONS

- Orbitrek with seat and hand pulse
- Luxurious design with fancy computer display
- Additional handle support in front
- Can be used as a cycle or cross-trainer
- Computer display for hand pulse, time, speed, distance and calories
- Adjustable handle bars for varying heights



R300

COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Comfortable PU foam seat with multi level adjustment.
- Self- powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



JF130

LIGHT COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

- 7 kgs Magnetic fly wheel system
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size:1500*650*1300MM
- Max. User Weight 125 Kgs



U300

COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Comfortable PU foam seat with multi level adjustment.
- Self- powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



JF120

LIGHT COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

- 7 kgs Magnetic fly wheel system
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size:1300*630*1350MM
- Max. User Weight 125 Kgs



JFU11 MAGNETIC BIKE

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual tension control system.
- Large lcd display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size: 910*490*1260mm
- Max. User weight : 110 kgs



JAB200 COMMERCIAL AIR BIKE

SPECIFICATIONS

- System : Fan drive
- 1 manual + 12 built-in programs
- Built-in wireless receiver
- Transport wheels + Aluminium pedals
- Big LCD screen with backlit
- Quick buttons for interval program
- Maximum user weight: 150 kg



JFAB50 AIR BIKE

SPECIFICATIONS

- Micro-adjustable tension
- Computer display for speed, pulse, time, distance and calories
- Adjustable seat height for different users
- Pedal with strap
- Max User Weight 100 Kgs



JS220 COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Can be used for clubs
- Adjustable resistance
- Dipping handle bar
- With 20kgs flywheel
- With adjustable seat
- Computer functions : time, speed, distance, calories & pulse
- Maximum User Weight : 140 Kgs



JS210 COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Ultra sturdy design
- New fully covered design making it sweat proof
- Adjustable seat and handle
- High quality ribbed belt with tension wheel driving system
- Press type braking system
- Maximum user weight : 150 kg



JS205 COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Ultra sturdy design
- New fully covered design making it sweat proof
- Adjustable seat and handle
- High quality ribbed belt with tension wheel driving system
- Press type braking system
- Maximum user weight : 150 kg



JS800

SKI MACHINE

SPECIFICATIONS

- Durable and ergonomic construction
- Can be either mounted on a wall or with specially designed anti-skid floor stand
- Air generated 10 levels resistance
- High strength light weight drive cord with strapless handles for secure grip
- Back-lit bright LCD monitor that displays all workout data
- Max. user weight: 160 Kgs
- LXWXH : 128X62X216 CM



JR700

AIR ROWER

SPECIFICATIONS

- Solid steel frame that folds up for easy storage
- Air generated 10 levels resistance
- High strength steel chain rowing strap for a smooth and quiet pull
- Back-lit bright LCD monitor that displays all workout data
- High quality contoured seat
- Adjustable footrest with numbered setting
- Max. user weight: 160 Kgs
- LXWXH : 241X62X111 CM



MG-1100

5 STATION MULTI GYM

SPECIFICATIONS

- Innovative design and ideal for corporate & society use
- Multi station gym with 2 weight stacks of 100 Kgs each.
- Multiple Exercise Function – Multi press, Pec fly / Rear delt, Lat pulldown, Arm curl, Rowing, Leg extension, Leg raise, Leg press, Dip chin.
- Comes with Plate loaded Deep squat attachment.
- Comes with Hi-Lo Pulley.
- Durable powder coated finish.
- Comfortable seat pads.
- Arc cover for protection.
- LXWXH : 302X218X210 CM.



MG-1000

3 STATION MULTI GYM

SPECIFICATIONS

- Innovative design and ideal for corporate & society use
- Multi station gym with 1 weight stacks of 100 Kgs.
- Multiple Exercise Function – Multi press, Pec fly / Rear delt, Lat pulldown, Arm curl, Rowing, Leg extension, Leg raise, Dip chin.
- Comes with punching bag.
- Comes with folding multi adjustable bench.
- Durable powder coated finish
- Comfortable seat pads
- Arc cover for protection
- LXWXH : 218X270X210 CM



HG80

HOME GYM

SPECIFICATIONS

- Home Gym with weight cover.
- 150 LBS PVC weights.
- 60mm x 1.5mm oval tubular steel frame.
- With abdominal strap.



HG70

HOME GYM

SPECIFICATIONS

- Home Gym without weight cover.
- 150 LBS PVC weights.
- 60mm x 1.5mm oval tubular steel frame.
- With abdominal strap.

JFB30 HOME USE BENCH

SPECIFICATIONS

- Olympic Weight Bench
- Flat / Incline / Decline seat adjustment
- Padded rollers and seat for maximum comfort
- With preacher curl & leg extension attachment
- Max User Weight 100 Kgs



JFB32 SITUP BENCH

SPECIFICATIONS

- Ideal exercise for building and tightening abdominal muscles
- Adjustable inclination
- Padded roller & seat for maximum comfort



JFB25 MULTI ADJUSTABLE BENCH

SPECIFICATIONS

- Sleek and sturdy design
- Multi level easy adjustments
- Can be used for various exercises



HK 7501 CHEST PRESS

- LXWXH : 135X146X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7502 LAT PULL DOWN

- LXWXH : 130X136X229 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7503 BICEP CURL

- LXWXH : 130X95X164 CM
- WEIGHT STACK : 50Kg / 110 LBS



HK 7505 LEG EXTENSION

- LXWXH : 142X103X164 CM
- WEIGHT STACK : 70Kg / 155 LBS



HK 7508

ABDUCTOR / ADDUCTOR

- LXWXH : 165X91X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7510

LEG PRESS

- LXWXH : 198X103X164 CM
- WEIGHT STACK : 120Kg / 265 LBS



HK 7512

SHOULDER PRESS

- LXWXH : 148X147X164 CM
- WEIGHT STACK : 60Kg / 130 LBS



HK 7515

PEC FLY / REAR DELT

- LXWXH : 113X148X203 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7519

SEATED HORIZONTAL PULLY

- LXWXH : 179X104X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7520

DIP CHIN ASSIST

- LXWXH : 133X141X243 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7521

PRONE LEG CURL

- LXWXH : 151X95X164 CM
- WEIGHT STACK : 60Kg / 130 LBS



HK 7522

LAT PULL / SEATED ROW

- LXWXH : 190X152X210 CM
- WEIGHT STACK : 100Kg / 220 LBS



HK 7528

LEG EXT / LEG CURL

- LXWXH : 168X104X164 CM
- WEIGHT STACK : 100Kg / 220 LBS



HK 7529

MULTI PRESS

- LXWXH : 195X146X166 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7533

BICEP / TRICEP

- LXWXH : 130X95X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7540

FUNCTIONAL TRAINER


- LXWXH : 346X102X237 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7545

CABLE CROSSOVER

- LXWXH : 168X104X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5501

CHEST PRESS

- LXWXH : 114X139X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5502

LAT PULL DOWN

- LXWXH : 125X144X224 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5503

BICEP CURL

- LXWXH : 129X121X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5505

LEG EXTENSION

- LXWXH : 144X129X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5506

SEATED LEG CURL

- LXWXH : 154X129X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5508

ABDUCTOR / ADDUCTOR

- LXWXH : 149X131X151 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5510

LEG PRESS

- LXWXH : 219X126X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5512

SHOULDER PRESS

- LXWXH : 134X141X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5515

PEC FLY / REAR DELT

- LXWXH : 165X104X199 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5519

SEATED HORIZONTAL PULLEY

- LXWXH : 175X117X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5520

DIP CHIN ASSIST

- LXWXH : 176X125X229 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5521

PRONE LEG CURL

- LXWXH : 165X117X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5522

LAT PULL / SEATED ROW

- LXWXH : 168X123X216 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5528

LEG EXT / LEG CURL

- LXWXH : 138X129X172 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5529

MULTI PRESS

- LXWXH : 189X138X162 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5533

BICEP / TRICEP

- LXWXH : 120X105X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5540

PRONE LEG CURL / LEG EXT

- LXWXH : 158X115X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



CF 5001

SEATED LEG CURL

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5002

SEATED LEG EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5005

SEATED CHEST PRESS

- LXWXH : 164X100X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5007

BUTTERFLY

- LXWXH : 150X93X198 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5008

LAT PULLDOWN

- LXWXH : 135X137X185 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5012

SHOULDER PRESS

- LXWXH : 135X135X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5019

ASSISTED CHIN DIP

- LXWXH : 114X112X227 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5021

LOW ROW

- LXWXH : 175X82X195 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5044

PRONE LEG CURL

- LXWXH : 164X100X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5047

PEC FLY / REAR DELT

- LXWXH : 150X93X198 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5053

INNER & OUTER THIGH

- LXWXH : 152X61X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5055

SEATED LEG CURL / EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5056

MULTI PRESS

- LXWXH : 190X127X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5057

LAT PULL / SEATED ROW

- LXWXH : 152X82X215 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5058

PRONE LEG CURL / EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5086

TRICEP / BICEP

- LXWXH : 104X100X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 4002

PRECHURE CURL



CF 4005

SEATED CALF RAISE



CF 4007

HYPER EXTENSION



CF 4009

FLAT BENCH



CF 4010

VERTICAL KNEE RAISE / DIP STAND



CF 4011

MULTI ADJUSTABLE BENCH



CF 4012
DUMBBELL RACK



CF 4013
ADJUSTABLE AB BENCH



CF 4014
OLYMPIC FLAT BENCH



CF 4015
OLYMPIC INCLINE BENCH



CF 4016
OLYMPIC DEINCLINE BENCH



CF 4022
UTILITY BENCH



JF 1901

VERICAL CHEST PRESS

- WEIGHT STACK : 90Kg / 200 LBS



JF 1906

SHOULDER PRESS

- WEIGHT STACK : 100Kg / 220 LBS



JF 1914

LATERAL RAISE

- WEIGHT STACK : 100Kg / 220 LBS



JF 1919

SEATED LEG CURL

- WEIGHT STACK : 100Kg / 220 LBS



JF 1994

MULTI PRESS

• WEIGHT STACK : 100Kg / 220 LBS



JF 1229

FUNCTIONAL TRAINER

• WEIGHT STACK : 100KgX2 / 220 LBSX2



JF 1244

ADJUSTABLE BENCH



JF 1246

MULTI AB BENCH



JF 1248

VERTICAL KNEE RAISE



JF 1251

OLYMPIC FLAT BENCH



JF 1253

OLYMPIC DECLINE BENCH



JF 1258

HYPER EXTENSION



JF 1264

PLATE TREE



PT-2001

SHOULDER PRESS

- LXWXH : 196X155X152 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2002

INCLINE CHEST PRESS

- LXWXH : 156X185X170 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2003

CHEST PRESS

- LXWXH : 179X157X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2004

CHEST PRESS

- LXWXH : 162X185X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2005

INCLINE PEC FLY

- LXWXH : 166X235X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2006

SHOULDER PRESS

- LXWXH : 196X154X152 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2007

ISO LATERAL BICEP CURL

- LXWXH : 156X207X121 CM
- MAX WEIGHT CAPACITY : 200Kg



PT-2008

LATERAL ROWING MACHINE

- LXWXH : 208X156X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2009

LAT PULL DOWN

- LXWXH : 211X173X194 CM
- MAX WEIGHT CAPACITY : 300Kg



PT-2010

LONG PULL

- LXWXH : 253X156X161 CM
- MAX WEIGHT CAPACITY : 300Kg



PT-2011

ISO LATERAL LEG EXTENSION

- LXWXH : 162X176X129 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2012

ISO LATERAL PRONE LEG CURL

- LXWXH : 168X182X90 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2029

ABDOMINAL

- LXWXH : 112X143X162 CM.
- MAX WEIGHT CAPACITY : 300 KG



JFPL001

CHEST PRESS

- LXWXH : 195.4X126.7X167 CM
- MAX WEIGHT CAPACITY : 250Kg



JFPL007

PULL DOWN

- LXWXH : 190.9X111X190.4 CM
- MAX WEIGHT CAPACITY : 250Kg



JFPL008

REAR KICK

- LXWXH : 168.4X171.1X165 CM
- MAX WEIGHT CAPACITY : 150Kg



JFPL010

CALF PRESS

- LXWXH : 202.8X102X115.3 CM
- MAX WEIGHT CAPACITY : 300Kg



JFPL011

ARM CURL

- LXWXH : 126.4X150.2X101.1 CM
- MAX WEIGHT CAPACITY : 150Kg



JFPL013

STANDING LEG CURL

- LXWXH : 138.3X122.6X133.8 CM
- MAX WEIGHT CAPACITY : 150Kg



JFPL014

LEG EXTENSION

- LXWXH : 142.4X127.3X110.7 CM
- MAX WEIGHT CAPACITY : 150Kg



JFPL015

LEG PRESS

- LXWXH : 288.2X145X149.3 CM
- MAX WEIGHT CAPACITY : 400Kg



V01

ISO-LATERAL CHEST PRESS

- LXWXH : 161X148X200 CM
- MAX WEIGHT CAPACITY : 150Kg



V02

ISO-LATERAL SUPER INCLINE CHEST PRESS

- LXWXH : 155X125X170 CM
- MAX WEIGHT CAPACITY : 150Kg



V03

**ISO-LATERAL
STANDING LEG CURL**

- LXWXH : 192X112X146 CM
- MAX WEIGHT CAPACITY : 150Kg



V04

LATERAL LEG PRESS

- LXWXH : 185X175X150 CM
- MAX WEIGHT CAPACITY : 200Kg



V05

ARM CURL

- LXWXH : 125X150X137 CM
- MAX WEIGHT CAPACITY : 150Kg



V06

LATERAL RAISE

- LXWXH : 145X128X170 CM
- MAX WEIGHT CAPACITY : 150Kg



V07

ISO-LATERAL LOW ROW

- LXWXH : 143X128X170 CM
- MAX WEIGHT CAPACITY : 150Kg



V08

ISO-LATERAL DECLINE CHEST PRESS

- LXWXH : 178X132X176 CM
- MAX WEIGHT CAPACITY : 150Kg



V10

45° LEG PRESS

- LXWXH : 230X138X155 CM
- MAX WEIGHT CAPACITY : 300Kg



V12

SUPER SQUAT

- LXWXH : 245X150X185 CM
- MAX WEIGHT CAPACITY : 200Kg



V14

ISO-LATERAL ROW

- LXWXH : 153X156X135 CM
- MAX WEIGHT CAPACITY : 150Kg



V15

ABDOMINAL CRUNCH

- LXWXH : 170X120X158 CM
- MAX WEIGHT CAPACITY : 150Kg



V16

ISO-HI ROW MACHINE

- LXWXH : 178X160X202 CM
- MAX WEIGHT CAPACITY : 150Kg



V17

SHOULDER PRESS

- LXWXH : 185X136X187 CM
- MAX WEIGHT CAPACITY : 250Kg



V18

ISO-FLAT PRESS

- LXWXH : 148X124X146 CM
- MAX WEIGHT CAPACITY : 250Kg



V19

SEATED CALF

- LXWXH : 122X93X96 CM
- MAX WEIGHT CAPACITY : 300Kg



V20

PULLOVER

- LXWXH : 193X170X150 CM
- MAX WEIGHT CAPACITY : 155Kg



V22

INCLINE PEC FLY

- LXWXH : 162X146X132 CM
- MAX WEIGHT CAPACITY : 150Kg



V24

VERTICAL LEG PRESS

- LXWXH : 158X185X201 CM
- MAX WEIGHT CAPACITY : 300Kg



V26

SEATED TRICEP PRESS

- LXWXH : 170X165X105 CM
- MAX WEIGHT CAPACITY : 250Kg



V27

LAT PULL DOWN

- LXWXH : 80X130X200 CM
- MAX WEIGHT CAPACITY : 300Kg



V28

CHEST PRESS / PULL DOWN

- LXWXH : 205X178X201 CM
- MAX WEIGHT CAPACITY : 300Kg



V36

BELT SQUAT

- LXWXH : 108X110X180 CM
- MAX WEIGHT CAPACITY : 150Kg



V37

ISO-LATERAL STANDING PEC FLY

- LXWXH : 120X126X155 CM
- MAX WEIGHT CAPACITY : 150Kg



V38

ISO-LATERAL LAT PULL DOWN

- LXWXH : 155X130X185 CM
- MAX WEIGHT CAPACITY : 300Kg



V39

HIP THRUST

- LXWXH : 166X138X98 CM
- MAX WEIGHT CAPACITY : 150Kg



V40

ISO-LATERAL STANDING RAISE

- LXWXH : 80X130X200 CM
- MAX WEIGHT CAPACITY : 150Kg



V42

PENDULUM SQUAT

- LXWXH : 185X90X145 CM
- MAX WEIGHT CAPACITY : 200Kg



V43

STANDING OUTER THIGH ABDUCTOR

- LXWXH : 152X100X143 CM
- MAX WEIGHT CAPACITY : 150Kg



DUMBBELLS

- Made from high grade rubber compound for long life.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES

KGS
2.5
5
7.5
10
12.5
15
17.5
20
22.5
25
30
35
40



Corporate & Head Office

14-D Ballygunge Circular Road (opp. AAEI) Kolkata 700 019

Contact: 83350 68089 / 033 4064 8222

Bhubaneswar Office:

501 Kharvela Nagar (1st floor), Janpath, Bhubaneswar 751 001

Contact: 98308 00698

0674 2380824 / 0674 2380925

E mail: bodylinesports@gmail.com | Website: bodylinesports.co.in