

BODY LINE
Inspiring Fitness

CALIFORNIA
FITNESS



PRODUCT CATALOGUE 2026

JF5000i COMMERCIAL TREADMILL

SPECIFICATIONS

- 21.5" HD TFT Screen with different landscape programs.
- Supports Wi-Fi connection & web browsing.
- AC driving system with adjustable variable frequency
- 5.0 HP AC continuous (10.0 HP Peak) motor
- 22"x63" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~18%
- Comes with 36 preset programs
- Reinforced 2 layer high flexibility running deck
- Heavy duty 2.5mm thick reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF5000 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 5.0 HP AC continuous (10.0 HP Peak) motor
- 22"x63" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty 2.5mm thick reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF3000 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 21"x63.5" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 180 Kgs



JF2300 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x61" running surface
- Speed : 0.8~20 km/h
- Precise incline control from 0~18%
- Large LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Reinforced 2 layer high flexibility running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Speakers with MP3 and USB connector
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF2200 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x60" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~15%
- Multiple window LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- Anti static 25mm double faced running board
- 2.5mm heavy duty orthopaedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF1800 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x61.5" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~20%
- Multiple window LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- Anti static 25mm double faced running board
- 2.5mm heavy duty orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF1000 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 24" x 60" running surface
- Speed: 0.8~20 km/h
- Precise incline control from 0~20%
- Multiple window LED display showing time, speed, distance, incline, heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- Anti static 25mm double faced running board
- 2.5mm heavy duty orthopaedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 160 Kgs



JF2000 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP motor Peak)
- 21" x 60" running surface
- Speed : 1~20 km/h
- Precise incline control from 0~15%
- Large LED display with dot matrix showing time, speed, distance, incline, calories, & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Comes with durable and reliable aluminum side rails & vertical tube
- 1" thick fibre board
- Heavy duty reliable orthopaedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile phone, MP3 and iPod
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 150Kgs



JF900 COMMERCIAL TREADMILL

SPECIFICATIONS

- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23"x60" running surface
- Speed : 1~22 km/h
- Precise incline control from 0~20%
- Multiple window LED display showing time, speed, distance, incline, calories & heart rate
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension
- 1" thick fiber board running deck
- Heavy duty reliable orthopedic running belt
- Large sized, twin cup holder with a built in tray to hold your mobile
- MP3 and USB connector
- Emergency stop button
- Sweat proof console design
- Maximum User Weight : 150 Kgs



CT1000

CURVE TREADMILL

SPECIFICATIONS

- Innovative curved deck with durable nylon belt.
- Non motorized technology.
- Display showing : distance, time, speed, pulse, calories & body fat.
- Exercise description : run, power walk, lateral shuffle & low push.
- With 6 resistance levels.
- Highly durable treadmill with low maintenance cost.
- Ideal for core strength & interval training.
- Long hand rails for maximum safety.
- Maximum user weight 150 kg.
- LXWXH : 180X97X163 CM.





JF53 MOTORIZED TREADMILL

SPECIFICATIONS

- For High End Home Or Light Commercial Usage
- Motor Power : 6HP AC Peak (3HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 23" X 57.5"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Speed & Incline Control Buttons On Hand Rail
- Maximum User Weight : 150 Kg



JF52 MOTORIZED TREADMILL

SPECIFICATIONS

- For High End Home Or Light Commercial Usage
- Motor Power : 5HP AC Peak (2.5HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~18 Km/h
- Incline : 0-15%
- Running Surface : 20.5" X 55.5"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 140 Kg



JF49 **MOTORIZED TREADMILL**

SPECIFICATIONS

- Motor Power : 5.0HP AC Peak (2.5HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 1~18 Km/h
- Incline : 0-15%
- Running Surface : 18.5" X 52"
- With Mp3 & Usb
- Duo Flexi Deck Cushion System
- Maximum User Weight : 130 Kg



JF48 **MOTORIZED TREADMILL**

SPECIFICATIONS

- Motor Power : 4.5HP AC Peak (2.25HP Continuous)
- Display Type : Blue 5.5" LCD Screen
- Speed : 1~20 Km/h
- Incline : 0-15%
- Running Surface : 19" X 53"
- With Mp3 & Usb
- Special Spring Deck Cushion System
- Maximum User Weight : 140 Kg



JF40 **MOTORIZED TREADMILL**

SPECIFICATIONS

- Motor Power : 6HP DC Peak (3HP Continuous)
- Display Type : Blue 7" LCD Screen
- Speed : 1~18 Km/h
- Incline : 0-15 Level
- Running Surface : 19" X 54"
- With MP3 & USB
- Speakers With Bluetooth Connectivity
- Special Spring Deck Cushion System
- Maximum User Weight : 140 Kg



JF39 **MOTORIZED TREADMILL**

SPECIFICATIONS

- Motor Power : 4HP DC Peak (2HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~16 Km/h
- Incline : 0-15%
- Running Surface : 18" X 50"
- With Mp3 & Usb
- With Speed & Incline Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 115 Kg



JF38

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 4HP DC Peak (2HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~16 Km/h
- Incline : 3 Level Manual
- Running Surface : 18" X 50"
- With Mp3 & Usb
- With Start / Stop & Speed Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 115 Kg



JF35

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 5HP DC Peak (2.5HP Continuous)
- Display Type : Blue 5" Lcd Screen
- Speed : 1~16 Km/h
- Incline : 0-18 Level
- Running Surface : 20" X 52"
- With MP3 & USB
- With Speed & Incline Control Buttons on Hand Rail
- Special Honeycomb Cushion System
- Maximum User Weight : 120 Kg

JF34

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 3.5HP DC Peak (1.75HP Continuous)
- Display Type : Blue 5" LCD Screen
- Speed : 0.8~14.8 Km/h
- Incline : 0-15%
- Running Surface : 17" X 48"
- With MP3 & USB
- With Speed & Incline Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg



JF33

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 3.5HP DC Peak (1.75HP Continuous)
- Display Type : Blue 5" Lcd Screen
- Speed : 0.8~14.8 Km/h
- Incline : 3 Level Manual
- Running Surface : 17" X 48"
- With Mp3 & Usb
- With Start / Stop & Speed Control Buttons On Hand Rail
- Special Spring Deck Cushion System
- Maximum User Weight : 110 Kg





JF24

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 3.5hp Dc Peak (1.75 Hp Continuous)
- Display Type : Led Screen
- Speed : 1~14 Km/h
- Incline : 2 Level Manual
- Running Surface : 18" X 48"
- With Mp3 & Usb
- Speakers With Bluetooth Connectivity
- Maximum User Weight : 100 Kg

JF23

MOTORIZED TREADMILL

SPECIFICATIONS

- Motor Power : 2HP DC Peak (1HP Continuous)
- Display Type : LED Screen
- Speed : 1~10 Km/h
- Incline : 3 Level Manual
- Running Surface : 16" X 44"
- With MP3 & USB
- Maximum User Weight : 90 Kg



JF20

WALKING PAD

SPECIFICATIONS

- Motor Power : 2.5HP DC Peak (1.25 Continues)
- Display Type : LED Screen
- Speed : 1~10 Km/h
- Incline : 2 Level Manual
- Running Surface : 16" X 37.5"
- Maximum User Weight : 100 Kg





E500

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 20" long stride
- Red backlight LED display
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level
- Multiple programs including 1 Manual, 4 HRC, 1 Watt,
- 20 preset, 4 Users and 3 Fitness test
- 3 pcs crank system with 14kgs flywheels
- USB port with MP3 reader
- Handheld pulse sensor
- Magnetic flywheel.
- **With self generating system**
- Resistance level - 24
- Transport wheels
- Adjustable floor levelers
- Maximum User Weight: 150kgs



E300

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- Rear-drive and dual handle arms enable smooth and engaging exercise, regardless of your fitness level.
- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Self-powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Striding distance : 500 mm (20").
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



E400

COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 20" long stride
- 3 section manual incline
- Blue backlight LCD display
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level
- Multiple programs including 1 Manual, 4 HRC, 1 Watt,
- 11 preset, 4 Users and 3 Fitness test
- Handheld pulse sensor
- Magnetic flywheel
- With adapter power system
- Resistance level - 24
- Transport wheels
- Adjustable floor levelers
- Maximum User Weight: 130kgs



16

JF140

LIGHT COMMERCIAL ELLIPTICAL TRAINER

SPECIFICATIONS

- 10 kgs / 2 ways Magnetic fly wheel system
- 20" long stride length
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size: 1700*600*1860MM
- Max. User Weight 125 Kgs



19

JFE31 **MAGNETIC CROSS TRAINER**

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual Tension control System
- Large LCD display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size:1290*620*1550MM
- Max. User Weight 110 Kgs



JFE30 **MAGNETIC CROSS TRAINER**

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual Tension control System
- Large LCD display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size:1070*600*1540MM
- Max. User Weight 110 Kgs



JF110 **DOUBLE BURNER**

SPECIFICATIONS

- Orbitrek with seat
- Can be used as a cycle or cross-trainer
- Computer display for time, speed, distance & calories
- Micro adjustable tension control
- Adjustable handle bars for varying heights



R300

COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Comfortable PU foam seat with multi level adjustment.
- Self- powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



JF130

LIGHT COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

- 7 kgs Magnetic fly wheel system
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size:1500*650*1300MM
- Max. User Weight 125 Kgs



U300

COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

- Large and impact-absorbing pedals provide gentle movement to reduce lower back stress.
- Comfortable PU foam seat with multi level adjustment.
- Self- powered system, low maintenance and space-saving design.
- 6 window LED Dot matrix display.
- Readouts: Calories, Distance, Time, Resistance, Intensity, Heart rate & Programs.
- Various motivating programs for different workout requirements.
- Resistance level : 20.
- Comes with bottle / phone holder
- Maximum user weight: 160 kg.



JF120

LIGHT COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

- 7 kgs Magnetic fly wheel system
- 32 levels auto Tension system
- 7" Large LCD display for speed, time, distance, calories and pulse
- Various motivating programs for different workout
- With phone / tablet stand
- Comfortable cushioned pedals
- Handle bar with hand pulse
- Assembled size:1300*630*1350MM
- Max. User Weight 125 Kgs



JFU 11 MAGNETIC BIKE

SPECIFICATIONS

- Magnetic fly wheel system
- 8 level manual tension control system.
- Large lcd display for speed, time, distance, calories and pulse
- Adjustable handle bar with hand pulse
- Assembled size:910*490*1260mm
- Max. User weight : 110 kgs



JAB200 COMMERCIAL AIR BIKE

SPECIFICATIONS

- System : Fan drive
- 1 manual + 12 built-in programs
- Built-in wireless receiver
- Transport wheels + Aluminium pedals
- Big LCD screen with backlit
- Quick buttons for interval program
- Maximum user weight: 150 kg



JFAB50 AIR BIKE

SPECIFICATIONS

- Micro-adjustable tension
- Computer display for speed, pulse, time, distance and calories
- Adjustable seat height for different users
- Pedal with strap
- Max User Weight 100 Kgs



JS220 **COMMERCIAL GROUP BIKE**

SPECIFICATIONS

- Can be used for clubs
- Adjustable resistance
- Dipping handle bar
- With 20kgs flywheel
- With adjustable seat
- Computer functions : time, speed, distance, calories & pulse
- Maximum User Weight : 140 Kgs



JS210 **COMMERCIAL GROUP BIKE**

SPECIFICATIONS

- Ultra sturdy design
- New fully covered design making it sweat proof
- Adjustable seat and handle
- High quality ribbed belt with tension wheel driving system
- Press type braking system
- Maximum user weight : 150 kg



JS800

SKI MACHINE

SPECIFICATIONS

- Durable and ergonomic construction
- Can be either mounted on a wall or with specially designed anti-skid floor stand
- Air generated 10 levels resistance
- High strength light weight drive cord with strapless handles for secure grip
- Back-lit bright LCD monitor that displays all workout data
- Max. user weight: 160 Kgs
- LXWXH : 128X62X216 CM



JR700

AIR ROWER

SPECIFICATIONS

- Solid steel frame that folds up for easy storage
- Air generated 10 levels resistance
- High strength steel chain rowing strap for a smooth and quiet pull
- Back-lit bright LCD monitor that displays all workout data
- High quality contoured seat
- Adjustable footrest with numbered setting
- Max. user weight: 160 Kgs
- LXWXH : 241X62X111 CM



SC1000

STAIR CLIMBER

SPECIFICATIONS


- Magnetic EMS system.
- Console : LED dot-matrix display
- Data readout : Speed level, calories, time, distance, steps etc.
- Program : Various motivating programs for different workout requirements.
- With water bottle holder.
- Max user weight : 150 kgs.
- LXWXH : 146X96X209 CM.



MG-2000 FTSM

SPECIFICATIONS

- Functional Trainer Cum Smith Machine
- Dimensions : 170x230x220 Cms
- Weight Stack Of 80 Kg X 2
- Maximum Weight Loading Capacity : 200 Kgs



MG-1100

5 STATION MULTI GYM

SPECIFICATIONS

- Innovative design and ideal for corporate & society use
- Multi station gym with 2 weight stacks of 100 Kgs each.
- Multiple Exercise Function – Multi press, Pec fly / Rear delt, Lat pulldown, Arm curl, Rowing, Leg extension, Leg raise, Leg press, Dip chin.
- Comes with Plate loaded Deep squat attachment.
- Comes with Hi-Lo Pulley.
- Durable powder coated finish.
- Comfortable seat pads.
- Arc cover for protection.
- LXWXH : 302X218X210 CM.




MG-1000

3 STATION MULTI GYM

SPECIFICATIONS

- Innovative design and ideal for corporate & society use
- Multi station gym with 1 weight stacks of 100 Kgs.
- Multiple Exercise Function – Multi press, Pec fly / Rear delt, Lat pulldown, Arm curl, Rowing, Leg extension, Leg raise, Dip chin.
- Comes with punching bag.
- Comes with folding multi adjustable bench.
- Durable powder coated finish
- Comfortable seat pads
- Arc cover for protection
- LXWXH : 218X270X210 CM



HG80 HOME GYM

SPECIFICATIONS

- Home Gym with weight cover.
- 150 LBS PVC weights.
- 60mm x 1.5mm oval tubular steel frame.
- With abdominal strap.



HG70 HOME GYM

SPECIFICATIONS

- Home Gym without weight cover.
- 150 LBS PVC weights.
- 60mm x 1.5mm oval tubular steel frame.
- With abdominal strap.

JFB30 **HOME USE BENCH**

SPECIFICATIONS

- Olympic Weight Bench
- Flat / Incline / Decline seat adjustment
- Padded rollers and seat for maximum comfort
- With preacher curl & leg extension attachment
- Max User Weight 100 Kgs



JFB32 **SITUP BENCH**

SPECIFICATIONS

- Ideal exercise for building and tightening abdominal muscles
- Adjustable inclination
- Padded roller & seat for maximum comfort



JFB25 **MULTI ADJUSTABLE BENCH**

SPECIFICATIONS

- Sleek and sturdy design
- Multi level easy adjustments
- Can be used for various exercises



PK 3001
CHEST PRESS

- LXWXH : 144X140X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3005
LEG EXTENSION

- LXWXH : 149X126X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3006
LEG CURL

- LXWXH : 130X95X164 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3008
ABDUCTOR / ADDUCTOR

- LXWXH : 74X144X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3010

SEATED LEG PRESS

- LXWXH : 187X112X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3012

SHOULDER PRESS

- LXWXH : 121X134X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3015

PEC FLY / REAR DELT

- LXWXH : 114X165X212 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3017

SEATED DIP

- LXWXH : 121X116X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3019

LONG PULL

- LXWXH : 145X117X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3020

CHIN DIP ASSIST

- LXWXH : 103X134X242 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3021

PRONE LEG CURL

- LXWXH : 153X110X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3022

LAT PULL / SEATED ROW

- LXWXH : 148X126X210 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3024

LATERAL RAISE

- LXWXH : 125X143X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3028

LEG CURL / EXTENSION

- LXWXH : 148X127X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3029

MULTI PRESS

- LXWXH : 197X147X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



PK 3033

BICEP / TRICEP

- LXWXH : 128X132X148 CM
- WEIGHT STACK : 100Kg / 220 LBS



HK 7501

CHEST PRESS

- LXWXH : 135X146X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7502

LAT PULL DOWN

- LXWXH : 130X136X229 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7503

BICEP CURL

- LXWXH : 130X95X164 CM
- WEIGHT STACK : 50Kg / 110 LBS



HK 7505

LEG EXTENSION

- LXWXH : 142X103X164 CM
- WEIGHT STACK : 70Kg / 155 LBS



HK 7508

ABDUCTOR / ADDUCTOR

- LXWXH : 165X91X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7510

LEG PRESS

- LXWXH : 198X103X164 CM
- WEIGHT STACK : 120Kg / 265 LBS



HK 7512

SHOULDER PRESS

- LXWXH : 148X147X164 CM
- WEIGHT STACK : 60Kg / 130 LBS



HK 7515

PEC FLY / REAR DELT

- LXWXH : 113X148X203 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7519

SEATED HORIZONTAL PULLY

- LXWXH : 179X104X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7520

DIP CHIN ASSIST

- LXWXH : 133X141X243 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7521

PRONE LEG CURL

- LXWXH : 151X95X164 CM
- WEIGHT STACK : 60Kg / 130 LBS



HK 7522

LAT PULL / SEATED ROW

- LXWXH : 190X152X210 CM
- WEIGHT STACK : 100Kg / 220 LBS



HK 7528

LEG EXT / LEG CURL

- LXWXH : 168X104X164 CM
- WEIGHT STACK : 100Kg / 220 LBS



HK 7529

MULTI PRESS

- LXWXH : 195X146X166 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7533

BICEP / TRICEP

- LXWXH : 130X95X164 CM
- WEIGHT STACK : 80Kg / 175 LBS



HK 7540

FUNCTIONAL TRAINER


- LXWXH : 346X102X237 CM
- WEIGHT STACK : 80Kg \times 2 / 175LBS \times 2



HK 7545

CABLE CROSSOVER

- LXWXH : 168X104X164 CM
- WEIGHT STACK : 80Kg \times 2 / 175LBS \times 2



EG 5501

CHEST PRESS

- LXWXH : 114X139X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5502

LAT PULL DOWN

- LXWXH : 125X144X224 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5503

BICEP CURL

- LXWXH : 129X121X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5505

LEG EXTENSION

- LXWXH : 144X129X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5506

SEATED LEG CURL

- LXWXH : 154X129X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5508

ABDUCTOR / ADDUCTOR

- LXWXH : 149X131X151 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5510

LEG PRESS

- LXWXH : 219X126X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5512

SHOULDER PRESS

- LXWXH : 134X141X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5515

PEC FLY / REAR DELT

- LXWXH : 165X104X199 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5519

SEATED HORIZONTAL PULLEY

- LXWXH : 175X117X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5520

DIP CHIN ASSIST

- LXWXH : 176X125X229 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5521

PRONE LEG CURL

- LXWXH : 165X117X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5522

LAT PULL / SEATED ROW

- LXWXH : 168X123X216 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5528

LEG EXT / LEG CURL

- LXWXH : 138X129X172 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5529

MULTI PRESS

- LXWXH : 189X138X162 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5533

BICEP / TRICEP

- LXWXH : 120X105X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



EG 5540

PRONE LEG CURL / LEG EXT

- LXWXH : 158X115X167 CM
- WEIGHT STACK : 80Kg / 175 LBS



CL 1008

ABDUCTOR/ADDUCTOR

- LXWXH : 160X82X165 CM
- WEIGHT STACK : 80Kg / 175 LBS



CL 1015

PEC FLY / REAR DELT

- LXWXH : 110X75X196 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1020

DIP CHIN ASSIST

- LXWXH : 143X115X236 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1021

PRONE LEG CURL / EXTENSION

- LXWXH : 162X97X165 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1022

LAT PULL DOWN / SEATED ROW

- LXWXH : 195X116X221 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1025

HI-LO PULLEY

- LXWXH : 96X117X233 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1027

4 STATION JUNGLE GYM

- Multiple Exercise Function : Lat Pull / Seated Row,
Pec Fly / Rear Delt, Leg Extension / Curl & Hi / Lo Pulley
- LXWXH : 345X215X233 CM
- WEIGHT STACK : 100X4Kg / 220X4 LBS

CL 1027


OPT



CL 1028

SEATED LEG CURL / LEG EXTENSION

- LXWXH : 130X103X165 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1029

MULTI PRESS

- LXWXH : 196X127X165 CM
- WEIGHT STACK : 100Kg / 220 LBS



CL 1030

FUNCTIONAL TRAINER

- LXWXH : 180X100X223 CM
- WEIGHT STACK : 100Kg_{x2} / 220LBS_{x2}



CL 1033

BICEP / TRICEP

- LXWXH : 120X100X165 CM
- WEIGHT STACK : 80Kg / 175 LBS



CL 1040

STANDING WIDE CHEST PRESS

• LXWXH : 180X186X167 CM



CL 1041

STANDING CHEST PRESS

• LXWXH : 120X143X170 CM



CL 1042

ARM CURL

• LXWXH : 97X147X125 CM



CL 1043

PULL OVER

• LXWXH : 170X186X150 CM



CL 1044

LAT PULL DOWN

• LXWXH : 210X120X215 CM



CL 1045

45° HIP EXTENSION

• LXWXH : 160X130X172 CM



CL 1046

PENDULAM SQUAT

• LXWXH : 230X100X185 CM



CL 1047

SHOULDER PRESS

• LXWXH : 120X140X127 CM



CL 1048

INCLINE CHEST PRESS

• LXWXH : 172X163X122 CM



CL 1049

BELT SQUAT

• LXWXH : 231X156X160 CM



CL 1050

ISO LATERAL LEG PRESS

• LXWXH : 240X165X150 CM



CL 1051

3D HIP SMITH MACHINE

• LXWXH : 170X180X140 CM



CL 1052

SEATED CALF / TIBIA TRAINER

• LXWXH : 146X76X93 CM



CL 1053

DEEP SQUAT / SHOULDER LIFT / STANDING CALF EXTENSION

• LXWXH : 152X146X160 CM



CL 1054

3D SMITH SHOULDER PRESS

• LXWXH : 130X142X200 CM



CL 1055

SHOULDER PRESS

• LXWXH : 122X156X130 CM



CL 1056

ROWING MACHINE

• LXWXH : 130X220X135 CM



CL 1057

3D SMITH FID BENCH

• LXWXH : 148X192X185 CM



CL 1058

ABDUCTOR / ADDUCTOR

• LXWXH : 156X135X123 CM



CL 1059

PRONE LEG CUL / LEG EXTENSION

• LXWXH : 130X133X120 CM



CL 1060

45° LEG PRESS

• LXWXH : 210X173X143 CM



CL 1061

LEG PRESS / HACK SQUAT

• LXWXH : 219X147X147 CM



CL 1062

ADJUSTABLE T BAR

• LXWXH : 209X95X140 CM



CL 1063

SMITH MACHINE

• LXWXH : 228X125X228 CM



CL 1064

FTSM

- Functional Trainer Cum Smith Machine
- Dimensions : 186 x 193 x 235cms
- Weight Stack of 80Kg x 2



CL 1065

POWER RACK

- LXWXH : 101X130X227 CM



CL 1066

BOOTY MACHINE

• LXWXH: 152X138X78 CM



CL 1067

HORIZONTAL LIFT BENCH

• LXWXH: 170X190X114 CM



CL 1068

FOREARM JUNGLE

• LXWXH: 155X141X136 CM



CF 5002

SEATED LEG EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5007

BUTTERFLY

- LXWXH : 150X93X198 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5008

LAT PULLDOWN

- LXWXH : 135X137X185 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5019

ASSISTED CHIN DIP

- LXWXH : 114X112X227 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5021

LOW ROW

- LXWXH : 175X82X195 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5044

PRONE LEG CURL

- LXWXH : 164X100X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5047

PEC FLY / REAR DELT

- LXWXH : 150X93X198 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5055

SEATED LEG CURL / EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5056

MULTI PRESS

- LXWXH : 190X127X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5057

LAT PULL / SEATED ROW

- LXWXH : 152X82X215 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5058

PRONE LEG CURL / EXTENSION

- LXWXH : 130X98X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 5086

TRICEP / BICEP

- LXWXH : 104X100X155 CM
- MAX WEIGHT CAPACITY : 100Kg / 220 LBS



CF 4002

PREACHER CURL



CF 4005

SEATED CALF RAISE



CF 4007

HYPER EXTENSION



CF 4009

FLAT BENCH



CF 4010

VERTICAL KNEE RAISE / DIP STAND



CF 4011

MULTI ADJUSTABLE BENCH



CF 4012
DUMBBELL RACK



CF 4013
ADJUSTABLE AB BENCH



CF 4014
OLYMPIC FLAT BENCH



CF 4015
OLYMPIC INCLINE BENCH



CF 4016
OLYMPIC DEINCLINE BENCH



CF 4022
UTILITY BENCH



CF 4020
FID BENCH



JF 1901

VERTICAL CHEST PRESS

• WEIGHT STACK : 90Kg / 200 LBS



JF 1906

SHOULDER PRESS

• WEIGHT STACK : 100Kg / 220 LBS



JF 1914

LATERAL RAISE

• WEIGHT STACK : 100Kg / 220 LBS



JF 1253

OLYMPIC DECLINE BENCH



PT 2001

SHOULDER PRESS

- LXWXH : 196X155X152 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2002

INCLINE CHEST PRESS

- LXWXH : 156X185X170 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2003

CHEST PRESS

- LXWXH : 179X157X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2004

CHEST PRESS

- LXWXH : 162X185X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2005

INCLINE PEC FLY

- LXWXH : 166X235X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT-2006

SHOULDER PRESS

- LXWXH : 196X154X152 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2007

ISO LATERAL BICEP CURL

- LXWXH : 156X207X121 CM
- MAX WEIGHT CAPACITY : 200Kg



PT 2008

LATERAL ROWING MACHINE

- LXWXH : 208X156X160 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2009

LAT PULL DOWN

- LXWXH : 211X173X194 CM
- MAX WEIGHT CAPACITY : 300Kg



PT 2010

LONG PULL

- LXWXH : 253X156X161 CM
- MAX WEIGHT CAPACITY : 300Kg



PT 2011

ISO LATERAL LEG EXTENSION

- LXWXH : 162X176X129 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2012

ISO LATERAL PRONE LEG CURL

- LXWXH : 168X182X90 CM
- MAX WEIGHT CAPACITY : 250Kg



PT 2013

SUPER FLAT CHEST PRESS

- MAX WEIGHT CAPACITY : 250Kg



PT 2014

3D HIP MACHINE

- LXWXH : 207X180X159 CM
- MAX WEIGHT CAPACITY : 200Kg



PT 2029

ABDOMINAL

- LXWXH : 112X143X162 CM.
- MAX WEIGHT CAPACITY : 300 KG



PT 2030

45° LEG PRESS

- LXWXH : 288.2X145X149.3 CM
- MAX WEIGHT CAPACITY : 400Kg



PT 2031

HALF RACK



P 01

DECLINE CHEST PRESS

- LXWXH : 130X176X194 CM
- MAX WEIGHT CAPACITY : 200Kg



P 02

LAT PULL DOWN

- LXWXH : 186X168X194 CM
- MAX WEIGHT CAPACITY : 200Kg



P 03

ROW

- LXWXH : 141X139X136 CM
- MAX WEIGHT CAPACITY : 200Kg



P 04

SHOULDER PRESS

- LXWXH : 153X166X133 CM
- MAX WEIGHT CAPACITY : 200Kg



P 05

TRICEP DIP

- LXWXH : 176X105X94 CM
- MAX WEIGHT CAPACITY : 200Kg



P 06

ARM CURL

- LXWXH : 139X108X121 CM
- MAX WEIGHT CAPACITY : 200Kg



P 07

LEG EXTENSION

- LXWXH : 132X154X117 CM
- MAX WEIGHT CAPACITY : 200Kg



P 08

KNEELING LEG CURL

- LXWXH : 161X128X127 CM
- MAX WEIGHT CAPACITY : 200Kg



V01

ISO-LATERAL CHEST PRESS

- LXWXH : 161X148X200 CM
- MAX WEIGHT CAPACITY : 150Kg



V03

**ISO-LATERAL
STANDING LEG CURL**

- LXWXH : 192X112X146 CM
- MAX WEIGHT CAPACITY : 150Kg



V04

LATERAL LEG PRESS

- LXWXH : 185X175X150 CM
- MAX WEIGHT CAPACITY : 200Kg



V10

45° LEG PRESS

- LXWXH : 230X138X155 CM
- MAX WEIGHT CAPACITY : 300Kg



V12

SUPER SQUAT

- LXWXH : 245X150X185 CM
- MAX WEIGHT CAPACITY : 200Kg



V14

ISO-LATERAL ROW

- LXWXH : 153X156X135 CM
- MAX WEIGHT CAPACITY : 150Kg



V15

ABDOMINAL CRUNCH

- LXWXH : 170X120X158 CM
- MAX WEIGHT CAPACITY : 150Kg



V16

ISO-HI ROW MACHINE

- LXWXH : 178X160X202 CM
- MAX WEIGHT CAPACITY : 150Kg



V17

SHOULDER PRESS

- LXWXH : 185X136X187 CM
- MAX WEIGHT CAPACITY : 250Kg



V18

ISO-FLAT PRESS

- LXWXH : 148X124X146 CM
- MAX WEIGHT CAPACITY : 250Kg



V19

SEATED CALF

- LXWXH : 122X93X96 CM
- MAX WEIGHT CAPACITY : 300Kg



V20

PULLOVER

- LXWXH : 193X170X150 CM
- MAX WEIGHT CAPACITY : 155Kg



V26

SEATED TRICEP PRESS

- LXWXH : 170X165X105 CM
- MAX WEIGHT CAPACITY : 250Kg



V28

CHEST PRESS / PULL DOWN

- LXWXH : 205X178X201 CM
- MAX WEIGHT CAPACITY : 300Kg



V36

BELT SQUAT

- LXWXH : 108X110X180 CM
- MAX WEIGHT CAPACITY : 150Kg



V37

**ISO-LATERAL STANDING
PEC FLY**

- LXWXH : 120X126X155 CM
- MAX WEIGHT CAPACITY : 150Kg



V38

ISO-LATERAL LAT PULL DOWN

- LXWXH : 155X130X185 CM
- MAX WEIGHT CAPACITY : 300Kg



V39

HIP THRUST

- LXWXH : 166X138X98 CM
- MAX WEIGHT CAPACITY : 150Kg



V40

ISO-LATERAL STANDING RAISE

- LXWXH : 80X130X200 CM
- MAX WEIGHT CAPACITY : 150Kg



V42

PENDULUM SQUAT

- LXWXH : 185X90X145 CM
- MAX WEIGHT CAPACITY : 200Kg



V43

STANDING OUTER THIGH ABDUCTOR

- LXWXH : 152X100X143 CM
- MAX WEIGHT CAPACITY : 150Kg



V45

HACK SQUAT

- LXWXH : 210X190X120 CM
- MAX WEIGHT CAPACITY : 200Kg



DUMBBELLS

- Made from high grade rubber compound for long life.
- Tear proof, soundless & bouncy effect



AVAILABLE SIZES

KGS

2.5

5

7.5

10

12.5

15

17.5

20

22.5

25

30

35

40

OLYMPIC PLATES

- Made from high grade virgin rubber for long life.
- Tear proof, soundless & bouncy effect



AVAILABLE SIZES

KGS

1.25

2.5

5

7.5

10

15

20

25

BODY LINE

Inspiring Fitness

Corporate & Head Office

14-D Ballygunge Circular Road (opp. AAEL) Kolkata 700 019

Contact: 83350 68089 / 033 4064 8222

P S ABACUS, Akankha More, New Town (Opp. Kia Showroom)

Contact: +91 33 48092831

Bhubaneswar Office:

501 Kharvela Nagar (1st floor), Janpath, Bhubaneswar 751 001

Contact: 98308 00698

0674 2380824 / 0674 2380925

Email: bodylinesports@gmail.com | Website: bodylinesports.co.in